FORM PTO-1449

U.S. DEPARTMENT OF COMMERCE Patent and Trademark Office

Attorney's Docket Number

Serial Number

09/680,738

(Fill-A-Form 7.92)

INFORMATION DISCLOSURE STATEMENT BY APPLICANT

Applicant Edwards et al.

Filing Date 10/06/00

HYB775-00/00381A

					U.	S. PATENT	DOCUMENTS				
EXAM INIT.		Р.	ATENT N	JMBER		ISSUE DATE	PATENTEE	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE	
	F	OREIGN	I PAT	ΓENT	OR	PUBLISHED	FOREIGN PAT	ENT APP	PLICATIO	N	
EXAM INIT.		DO	CHMENT	NIIMRER		PUBLICATION	COUNTRY OR PATENT	CLASS	SUBCLASS	Translation	
		DOCUMENT NUMBER			Н	DATE	OFFICE		JOBOLAGO	YES	NO
					C-+/0] =						
EXAM INIT.		OTHER MATERIALS (Including, Author, Title, Date, Relevant Pages, Place of Publication.**)									
Mit	aa	Ammerer, G.; 1983. Expression of genes in yeast using the ACDI promoter. Methods in Enzymol. 101, 192-201.									
Mit	ab	Aronheim, A.; Zandi, E.; Hennemann, H.; Elledge, S. J.; and Karin, M.; 1997. Isolation of an AP-1 Repressor by a Novel Method for Detecting Protein-Protein Interactions. Mol. Cell. Biol. 17, 3094-3102.									
MT	ac	Bai, C.; and Elledge, S. J.; 1997. Gene Identification Using the Yeast Two-Hybrid System. Methods Enzymol. 283, 141-156.									
nn L	ad	Baldwin, A. S.; 1996. The NF-κB and IκB Proteins: New Discoveries and Insights. Annu. Rev. Immunol. 14, 649-681.									
Ant	ae	Bartel, P.; Chien, C.; Sternglanz, R.; and Fields, S.; 1993. Elimination of False Positives That Arise in Using the Two-Hybrid System. Biotechniques 14, 920-924.									
TINK	af	Berridge, P.; Lipp, P.; and Bootman, M.; 1999. Calcium signalling. Curr. Biology 9, R157-R159.									
Mix	ag	Brachmann, R. K.; and Boeke, J. D.; 1997. Tag games in yeast: the two-hybrid system and beyond. Curr. Opin. Biotechnol. 8, 561-568.									
1xx	ah	Bunker, C. A.; and Kingston, R. E.; 1995. Identification of a cDNA for SSRP1, an HMG-box protein, by interaction with the c-Myc oncoprotein in a novel bacterial expression screen. Nucleic Acid Res. 23, 269-276.									

r		Page 2 of 4	
EXAM INIT.		OTHER MATERIALS (Including, Author, Title, Date, Relevant Pages, Place of Publication.	
がよ	ba	Bustos, S. A.; and Schleif, R. F.; 1993. Functional domain of the AraC protein. Proc. Natl. Acad. Sci. 90, 5368-5642.	
加艾	bb	Cantwell, B. A.; Brazil, G.; Murphy, N.; and McConnell, D. J.; 1986. Comparison of expression of the endo-β-1,3-1,4-glucanase gene from <i>Bacillus subtilis</i> in <i>Saccharomyces cerevisiae</i> from the CYC1 and ADH1 promoters. Curr. Genetics 11, 65-70.	
This	bc	Edwards, D. N.; Towb, P.; and Wasserman, S. A.; 1997. An activity-dependent network of interactions links Rel protein Dorsal with its cytoplasmic regulators. Development 124, 3855-3864.	
かな	bd	Estojak, J.; Brent, R.; and Golemis, E. A.; 1995. Correlation of Two-Hybrid Affinity Data with In Vitro Measurements. Mol. Cell. Biol. 15, 5820-5829.	
M	be	Fearon, E. R.; Finkel, T.; Gillison, M. L.; Kennedy, S. P.; Casella, J. F.; Tomaselli, G. F.; Morrow, J.S.; and Van Dang, C.; 1992. Karyoplasmic interaction selection strategy: A general strategy to detect protein-protein interactions in mammalian cells. Proc. Natl. Acad. Sci. 89, 7958-7962.	
MI	bf	Fields, S.; and Song, O.; 1989. A novel genetic system to detect protein-protein interactions. Nature 340, 245-246.	
加	bg	Finley, R. L.; and Brent, R.; 1997. Two-hybrid analysis of genetic regulatory networks. In: The Yeast Two-Hybrid System. Ed. Bartel, P. L.; Fields, S.; pp. 197-214, Oxford Univ. Press.	
かな	bh	Gaido, K. W.; Leonard, L. S.; Lovell, S.; Gould, J. C. babai, D.; Portier, C. J.; and McDonell, D. P.; 1997. Evaluation of chemicals with endocrine modulating activity in a yeast based steroid hormone receptor gene transcription assay. Toxic and App. Pharm. 143, 205-212.	
tist	bi	Guarente, L.; 1983. Yeast Promoters and <i>lacZ</i> Fusions Designed to Study Expression of Cloned Genes in Yeast. Methods in Enzymol. 101, 181-191.	
117	bj	Guarente, L.; and Ptashne, M.; 1981. Fusion of <i>Escherichia coli lacZ</i> to the cytochrome <i>c</i> gene of <i>Saccharomyces cerevisiae</i> . Proc. Natl. Acad. Sci. 78, 2199-2203.	
1/17	bk	Guarente, L.; Yocum, R. R.; and Gifford, P.; 1982. A <i>GAL10</i> hybrid yeast promoter identifies the <i>GAL4</i> regulatory region as an upstream site. Proc. Natl. Acad. Sci. 79, 7410-7414.	
797X	bl	Gyuris, J.; Golemis, E.; Chertkov, H; and Brent, R.; 1993. Cdi1, a Human G1 and S Phase Protein Phosphatase That Associates with Cdk2. Cell 75, 791-803.	
MY	bm	Hays, L. B.; Chen, Y-S. A.; and Hu, J. C.; 2000. Two-hybrid screen for characterization of protein-protein interactions in E. coli. Biotechniques, 29, 288-294.	
1/11/	bn	James, P.; Halladay, J.; and Craig, E. A.; 1996. Genomic Libraries and a Host Strain Designed for Highly Efficient Two-Hybrid Selection in Yeast. Genetics 144, 1425-1436.	
19117	bo	Kliewer, S. A.; Lehmann, J. M.; and Willson, T. M.; 1999. OrphanNuclear Receptors: Shifting Endocrinology into Reverse. Science 284, 757-760.	
Mit	bp	Kralli, A.; Bohen, S. P.; and Yamamoto, K. R.; 1995. LEM1, an ATP-binding-cassette transporter, selectively modulates the biological potency of steroid hormones. Proc. Natl. Acad. Sci. 92, 4701-4705.	

EXAM INIT.		OTHER MATERIALS (Including. Author, Title, Date, Relevant Pages, Place of Publication.**)				
林	са	Li, J. J.; and Herskowitz, I.; 1993. Isolation of <i>ORC6</i> , a Component of the Yeast Origin Recognition Complex by a One-Hybrid System. Science 262, 1870-1874.				
MI	cb	Mangelsdorf, D. J.; and Evans, R. M.; 1995. The RXR Heterodimers and Orphan Receptors. Cell 83, 841-850.				
YH L	cc	Mangus, D. A.; Amrani, N.; and Jacobson, A.; 1998. Pbp1p, a Factor Interacting with <i>Saccharomyces cerevisiae</i> Poly(A)-Binding Protein, Regulates Polyadenylation. Mol. Cell. Biol. 18, 7383-7396.				
树	cd	Martinez, A.; Sparks, C.; Drayton, P.; Thompson, J.; Greenland, A.; and Jepson, I.; 1999. Creation of ecdysone receptor chimeras in plants for controlled regulation of gene expression. Mol. Gen. Genet. 261, 546-552.				
州十	се	Mendelsohn, A. R.; and Brent, R.; 1994. Applications of interaction traps/two-hybrid systems biotechnology research. Curr. Opin. Biotechnol. 5, 482-486.				
加大	cf	Mercurio, F.; and Manning, A. M.; 1999. Multiple signals converging on NF-κB. Curr. Opin. 6 Biol. 11, 226-232.				
加大	cg	Moghal, N.; and Sternberg, P. W.; 1999. Multiple positive and negative regulators of signaling the EGF-receptor. Curr. Opin. Cell. Biol. 11, 190-196.				
州	ch	Phizicky, E. M.; and Fields, S.; 1995. Protein-Protein Interactions: Methods for Detection and Analysis. Microbiological Reviews, Vol. 59k, No. 1, pp. 94-123.				
加夫	ci	Picard, D.; Khursheed, B.; Garabedian, M. J.; Fortin, M. G.; Lindquist, S.; and Yamamoto, K. R.; 1990. Reduced levels of hsp90 compromise steroid receptor action <i>in vivo</i> . Nature 348, 166-168.				
MIX	сj	Rossi, F. M.V.; and Blau, H. M.; 1998. Recent advances in inducible gene expression systems. Curr. Opin. Biotechnol. 9, 451-456.				
TMX	ck	Schena, M.; Picard, D.; and Yamamoto, K. R.; 1991. Vectors for Constitutive and Inducible Gene Expression in Yeast. Methods in Enzymol. 194, 389-398.				
加木	cl	Schena, M.; and Yamamoto, K. R.; 1988. Mammalian Glucocorticoid Receptor Derivatives Enhance Transcription in Yeast. Science 241, 965-967.				
MIL	cm	SenGupta, D. J.; Zhang, B.; Kraemer, B.; Pochart, P.; Fields, S.; and Wickens, M.; 1996. A three-hybrid system to detect RNA-protein interactions <i>in vivo</i> . Proc. Natl. Acad. Sci. 93, 8496-8501.				
加大	cn	Serebriiskii, I.; Khazak, V.; and Golemis E. A.; 1999. A two-hybrid dual system to discriminate specificity of protein interactions. J. Biol. Chem. 274(24), 17080-17087.				
MA	CO	Shioda, T.; Andriole, S; Yahata, T.; and Isselbacher, K. J.; 2000. A green fluorescent protein-reporter mammalian two-hybrid system with extrachromosomal maintenance of a prey plasmid: Application to interacting screening. Proc. Natl. Acad. Sci. 97, 5220-5224.				
州土	ср	Vasavada, H. A.; Ganguly, S.; Germino, F. J.; Wang, Z. X.; and Weissman, S. M.; 1991. A contingent replication assay for the detection of protein-protein interactions in animal cells. Proc. Natl. Acad. Sci. 88, 10686-10690.				

•		Page $\frac{4}{2}$ of $\frac{4}{2}$					
EXAM INIT.		OTHER MATERIALS (Including, Author, Title, Date, Relevant Pages, Place of Publication. **)					
柳	da	West, R. W., Jr.; Yocum, R. R.; and Ptashne, M.; 1984. <i>Saccharomyces cerevisiae GAL1-GAL10</i> Divergent Promoter Region: Location and Function of the Upstream Activating Sequence UAS ₆ . Mol. Cell. Biol. 4, 2467-2478.					
が大	db	Yang, M; Wu, Z.; and Fields, S.; 1995. Protein-peptide interactions analyzed with the yeast two-hybrid system. Nucleic Acid Res. 23, 1152-1156.					
水水	dc	Young, K. H.; 1998. Yeast Two-Hybrid: So Many Interactions, (in) So Little Time Biology of Reproduction 58, 302-311.					
EXAMINI	ER	Marin Date Considered July 23, 2001					

communication to applicant. **Place of Publication refers to name of publication in which the information was published.